TOSHIBA

E-STUDIO3025AC **E**-STUDIO3525AC **E**-STUDIO4525AC **E**-STUDIO5525AC **E**-STUDIO6525AC

Colour Multifunctional Printers

- Multifunctional A3 colour systems with an outstanding document output at a speed of up to 65 pages per minute
- Large and fully customisable user interface for enhanced efficiency and tailored workflows
- Easy integration into modern business environments, including cloud and mobile printing





Cloud-ready And Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of "new normal" workplaces, the series is equipped with functionalities that enable non-contact, non-face-to-face and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side.

Show your true colours

Sharp, vibrant images in all hues can make your documents more beautiful and engaging. Toshiba's e-STUDIO6525AC series delivers image quality that stands out. In addition, the multifunctional systems are equipped with advanced features that meet the most exacting needs of today's and tomorrow's workplaces.

- Advanced Toshiba e-BRIDGE Next controller technology for easy customisation of document workflows and integration into IT environments
- High-quality output with a resolution of up to 1,200 x 1,200 dpi
- Colour consistency across small and large print jobs



Efficiency Your Way

Workgroups within SMEs appreciate the easy integration of the e-STUDIO6525AC into existing IT infrastructures. The systems are fully customisable, and offer readily accessible solutions, thanks to open platform architecture.

Designed for modern businesses, both systems are capable of cloud and mobile printing. AirPrint and Mopria Print Service support and address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or Smartphones.

The e-STUDIO6525AC series can be equipped with various apps to enhance efficiency. When the apps are combined with our embedded optical character recognition (OCR) feature, documents can be scanned as Microsoft Word and other popular office formats.

Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox[™]
- e-BRIDGE Plus for Google Drive[™]
- e-BRIDGE Plus for OneDrive®
- e-BRIDGF Plus for Universal Print

Workflow solution apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for Green Information
- e-BRDIGE Plus for ID Card
- · e-BRIDGE Plus for USB Storage

To ensure a perfect fit, contact our team of software developers for support in creating customised apps for you.

Your partner in sustainability

Sustainability is a major topic for Toshiba and our customers. We make every effort to minimise the impact of our business on the environment, to conserve and protect the world's natural resources. This applies to every business process and product, including providing solutions that make our customers' operations more sustainable. Accordingly, the e-STUDIO6525AC series MFPs have also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- Compliance with the latest, most stringent environmental requirements
- > Usage of recycled plastics
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP to encourage use of eco-friendly settings

Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6525AC series come with state-of-the-art security features, such as anti-malware, secure SSD (Solid State Drive) and TPM (Trusted Platform Module) with encryption function. Optionally you can choose the FIPS HDD* with data overwrite function and HCD-PP** certification. The systems are fully compliant with the EU General Data Protection Regulation (GDPR). Deploy all the security technologies.

^{*} Federal Information Processing Standards Hard Disc Drive





Big Performance In A Compact Format

Toshiba's e-STUDIO6525AC series systems offer a wide spectrum of functionalities in a surprisingly compact format. The multifunctional units enable you to integrate and simplify your workflows while improving efficiency.

Auto calibration ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

Image recovery menu helps within minutes by providing easy guidance (including a movie) for customers.

RGB colour substitution gives you accurate colours with office applications so your documents are printed exactly the way you want.

Multi Station Print Solution allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at that device, e.g. by simply swiping your badge.

Embedded optical character recognition (OCR) simplifies the creation of searchable PDFs and editable document formats.

Scan to USB is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving. Print from USB for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

Remote assistance and diagnostics fit seamlessly into today's workstyles and help keep your business running when technical difficulties or uncertainties occur.

Mobile printing gives you full flexibility and lets you easily connect to these systems with your mobile devices via AirPrint, or the Mopria Print Service. You can unleash access even more mobile print and scan features by adding the optional Wi-Fi module.

Choose your user experience for the large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

Dual Scan Document Feeder (DSDF) can hold up to 300 originals and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.



Proactive Service With Toshiba e-BRIDGE CloudConnect

- e-BRIDGE CloudConnect (eCC) is a device-to-cloud based system.
- It bridges the gap between business processes and machines in the field.
- It increases the efficiency of service operations.
- It is a web-based device management system, exclusively for Toshiba MFP.

Your Benefits



Improves Service Up Time

- Receive real-time technical alerts and warnings
- Remote configure device settings & software update
- Use service data for technical diagnosis, faster resolution



Service Automation

- Meter reads are automatically taken at set intervals
- Toner alerts are transmitted, triggering automatic supplies delivery
- No server maintenance, no manual backup data is required



Keeps your MFP secure & Up-To-Date

- Latest firmware & security updates via the cloud during off-peak periods
- Remote data backup and restore to avoid data lost
- Consistently manages device configurations to adhere to your company or regulatory & security standards

Minimise disruption with a maintenance contract

Having a maintenance contract in place ensures that you get to take advantage of a variety of add-ons. Get real value for money and maximise your return on investment with a well-maintained device, with helpful technical support when you need it. Maintenance contracts ensure that you can continue to run your business with minimal disruption.



Specifications

	e-STUDIO3025AC/3525AC/4525AC	e-STUDIO5525AC/6525AC
General		
Print & Copy Speed	A4: 30 / 35 / 45 ppm	A4: 55 / 65 ppm
and a shift share	A3: 16 / 18 / 22 ppm	A3: 27 / 30 ppm
Warm-up Time ~	12 seconds from low power mode	20 seconds from low power mode
	Drawer 1: A5R-A3, 60-300 g/m ²	
Paper Size & Weight	Drawer 2: A5R-A3 / A5R-320 x 460 mm, 60-300 g/m ²	
	Bypass: Single Feed: 100 x 148 mm-A3, 52-300 g/m ²	
	Banner paper (up to 305 x 1,200 mm, 90-163 g/m²)	
Paper Capacity	Drawer: 2 x 550 sheets	
	Bypass: 1 x 100 sheets	
,	Max. 5,200 sheets	
Automatic Duplex	A5R-A3, 60-256 g/m ²	
Controller Type	Toshiba e-BRIDGE Next	
Control Panel	26 cm (10.1") Multi-Touch Colour Panel	
Memory	4 GB	6 GB
Security SSD (Standard/Max)	128 GB / 640 GB	
Interface	10Base-T/100Base-TX/1000Base-T, High Speed, USB 2.0, WL	_AN* (IEEE802.11a/b/g/n/ac), Bluetooth*, Wi-Fi Direct
Dimension & Weight	585 x 641 x 787 mm (W x D x H), ~77kg	585 x 641 x 787 mm (W x D x H), ~79 kg
Print		
	600 dai v 600 dai Ehit DC Driver: 1200 dai v 1200 dai 8 2 600	/Equivalence) v 1000 dni
Resolution	600 dpi x 600 dpi, 5bit. PS Driver: 1200 dpi x 1200 dpi & 3,600 (Equivalence) x 1200 dpi	
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG	
Supported Systems	Windows 11/10/8.1, Windows Server2022/2019/2016/2012 R2/2012 (64bit), Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400	
Network Protocols	TCP/IP (IPv4/IPv6, NetBios over TCP/IP)	
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS®	
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Printer Driver, Driver Driver, Driver, Driver Driver, Driver Driver, Dr	nt from USB, Hold Print, Tandem Printing, E-Mail direct printing
Scan		
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi	
Scan Speed	Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colour and monochrome	
out. opecu		
Scan Modes		
·	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI	ur and monochrome DF, PDF/A, PDF/A-2,
Scan Modes	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim Pl Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, F	DF, PDF/A, PDF/A-2,
Scan Modes File Formats Scan Functions	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX)	ur and monochrome DF, PDF/A, PDF/A-2, *"
Scan Modes File Formats Scan Functions Copy	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN"	DF, PDF/A, PDF/A-2,
Scan Modes File Formats Scan Functions Copy Resolution Scan:	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim Pl Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, F OCR scan, Scan to Box (e-Filing), WIA, TWAIN"	Tr and monochrome DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*,
Scan Modes File Formats Scan Functions Copy	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim Pl Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, F OCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi	Trand monochrome DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*,
Scan Modes File Formats Scan Functions Copy Resolution Scan:	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim Pl Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, F OCR scan, Scan to Box (e-Filing), WIA, TWAIN"	Tr and monochrome DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*,
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv.	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)	DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in coloudation (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)	DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in coloudation Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colou. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH	Trand monochrome DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception	DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows Server2022/2019/2016	DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception	DF, PDF/A, PDF/A-2, *** FTP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows Server2022/2019/2016 To shared folders (SMB, FTP), E-Mail, e-Filing	DF, PDF/A, PDF/A-2, *** TP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows Server2022/2019/2016 To shared folders (SMB, FTP), E-Mail, e-Filing	Trand monochrome DF, PDF/A, PDF/A-2, TP, FTPS, IPX/SPX, Local), Meta Scan*, Sbit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode S/Server 2012 R2/Server 2012 (64bit)
Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security	Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in color. Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PI Searchable PDF* (and other formats like DOCX, XLSX, PPTX) "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, FOCR scan, Scan to Box (e-Filing), WIA, TWAIN" 600 x 600 dpi 2,400 x 600 dpi (with smoothing) (mono) (equiv) 600 x 600 dpi (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour) Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 Super G3, G3 - (opt. 2nd line) Internet Fax T.37 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows Server2022/2019/2016 To shared folders (SMB, FTP), E-Mail, e-Filing e-BRIDGE CloudConnect (eCC) & Top Access for remote adm "e-Filing document server for secure storage, Document distrib	DF, PDF/A, PDF/A-2, *** TPP, FTPS, IPX/SPX, Local), Meta Scan*, 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) / 4-in-1 mode 6/Server 2012 R2/Server 2012 (64bit) inistrations & configurations pution and Print-on-Demand (one public box, 200 user boxes), as and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open

Options

Reversing Automatic Document Feeder 100-sheet capacity, A5R-A3, 35-157 g/m²

Dual Scan Document

300-sheet capacity, A5R-A3, 35-209 g/m²

Feeder

Dual Scan Document Feeder With Double 300-sheet capacity, A5R-A3, 35-209 g/m²

Feed Detection
Paper Feed Pedestal

550-sheet capacity (1Cassette), A5R-A3, 60-163 g/m²

Drawer Module

For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 g/m²

Envelope Drawer

For Paper Feed Pedestal or Cassette Envelopes: 50-envelope capacity (1 Cassette) 100 x 162 mm - 240 x 380 mm, 60-85 g/m² Paper: 550-sheet capacity, A5R-A4R,

60-300 g/m²

External Large Capacity Feeder 2,000 sheets, A4, 60-300 g/m²

Inner Finisher

2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Saddle Stitch Finisher

2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages,

65-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Multi-staple Finisher

2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Hole Punch Unit

Available in 2 holes (E), 4 holes (F), 2/3 holes (N)

Other Options

Platen Cover

Desk

Hard Disk Drive 320 GB⁽³⁾ (Fips 140-2 Standard)

Security Solid State Drive 512 GB(3)

Wireless LAN/Bluetooth Module (Incl. Wi-Fi Direct)

Work Tray

Job Separator

Fax Board

USB Hub

Accessory Tray

Panel Ten-key

RFID Card Reader

Biometric Reader

Accessible ARM

Licences

IPsec Enabler

Multi Station Print Enabler

Meta Scan Enabler

Unicode Font Enabler

Embedded Apps

e-ContPort

*Optional















About Toshiba TEC

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba TEC Singapore Pte Ltd

2 Ang Mo Kio Street 62 Singapore 569138 Tel: (65) 6481 9488 Fax: (65) 6481 2385

Distributed by



其士科技工程有限公司 Chevalier iTech Services Limited

Tel: 2798 4257 Fax: 2757 5568

E-mail: cts_enquiry@chevalier.com Website: www.chevalier-itech.com Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

to the lattic of the planet.